

# INDEX

## A

- Abscissa, 76  
Absolute value, 6–7, 55  
Absolute value function, 382–386  
transformations of,  
reflection, 386  
scaling, 386  
translation, 385–386  
Accuracy, 31  
Acute angle, 249  
Acute triangle, 263  
Addition, 38  
of algebraic expressions, 168–171  
of algebraic fractions, 550–554  
associative property of, 47–48  
commutative property of, 47  
distributive property of  
multiplication over, 48–49  
of radicals, 487–489  
of like radicals, 487  
of unlike radicals, 488–489  
of signed numbers, 54–58  
with opposite signs, 56–58  
with same signs, 54–55  
verbal phrases involving, 89  
Addition method in solving systems of  
linear equations, 416–420  
Addition property  
of equality, 118  
of inequality, 147–148  
of zero, 49–50  
Additive identity, 49–50  
Additive inverse (opposite), 50  
Adjacent angles, 250  
Adjacent side of an angle, 307  
Algebraic equation, 565  
Algebraic expression(s), 89  
addition of, 168–171  
evaluating, 100–102  
subtraction of, 168–171  
terms in, 95–96, 168  
like, 123, 168  
unlike, 123, 168  
translating verbal phrases into,  
89–90, 92–93  
writing in words, 98–99,  
Algebraic fraction(s), 540  
addition of, 550–554  
division of, 548–549  
multiplication of, 545–547  
subtraction of, 550–554  
Algebraic solution of quadratic-linear  
system, 529–531  
Alternate exterior angle(s), 259  
parallel lines and, 260  
Alternate interior angle(s), 258  
parallel lines and, 259  
Angle(s), 248–249  
acute, 249  
adjacent, 250  
alternate exterior, 259  
alternate interior, 258  
base, 265  
classifying triangles according to,  
263  
complementary, 250–251  
congruent, 252  
consecutive, 272  
corresponding, 259  
cosine of, 317  
definition of, 248  
of depression, 313  
of elevation, 313  
exterior, 258  
interior, 258  
on the same side of transversal,  
259  
linear pair of, 252  
measuring, 248  
obtuse, 249  
opposite, 272  
pairs of, 250–254  
perpendicular, 249  
parallel lines and, 258–261  
parallelograms and, informal proofs,  
274–275  
polygons and, 275  
of quadrilaterals, 273  
right, 248  
sides of an, 248  
sine of, 317  
straight, 249  
sum of the measures of,  
for polygons, 275  
for triangles, 263–265  
supplementary, 251  
tangent of, 308  
types of, 248–249  
vertical, 252–253  
Angle bisector, 271  
Approximation, 20–21  
of numbers, 469  
rational, 20, 477–478  
Area  
of irregular polygons, 279–280  
surface, 282–284  
Arithmetic  
averages in, 680  
order of operations in, 38–43  
Arithmetic mean, 681  
Ascending order, polynomials in, 170  
Associative property  
of addition, 47–48  
of multiplication, 48  
Average(s). *See also* Central tendency  
in arithmetic, 680  
numerical, 681  
in statistics, 680–681  
Axiom (postulate), 246  
Axis, graphing line parallel to, 352–353  
Axis of symmetry of the parabola, 510
- ## B
- Bar (fractional line), 41  
Base(s),  
in geometry,  
angles of an isosceles triangle, 265  
of a prism, 282  
of a trapezoid, 275  
of an isosceles triangle, 265  
in number theory,  
division of powers with the same,  
186–187  
of exponents, 39–40  
multiplication of powers with the  
same, 173–174  
in percent, 227  
powers of, 95–96  
Bias, 662  
Biased object, 579  
Bimodal data, 683  
Binary operation, 38  
Binomial(s), 169  
division of polynomial by, 200–201  
multiplication of, 454–455  
Bisector  
angle, 271  
perpendicular, 271  
Bivariate statistics, 710–720  
causation, 711–715  
correlation, 711–715  
line of best fit, 715–720  
extrapolation, 717  
interpolation, 717

Bivariate statistics, line of best fit *cont.*  
 regression line, 715  
 scatter plot, 710–715  
 time series, 715

Blinding, 663

single-blind experiments, 663  
 double-blind experiments, 664

Box-and-whisker plot, 699–701  
 Brackets, as grouping symbol, 41

## C

Calculated probability, 585. *See also*  
 Theoretical probability

Calculator,

algebraic expressions,  
 entering variables, 101–102, 130  
 equations,  
 intersect feature, 526–527  
 solving systems of equations, 414,  
 526–527

testing for equality, 129–130, 218  
 graphing functions on, 349–350, 352

absolute value, 384

CALC, 513–514

exponential, 390

quadratic, 512–515

TBLSET, 515

TRACE, 349–350, 414

vertex, finding, 512–514

ZOOM, 349–350

number theory,

additive inverses (opposites), 50  
 decimals, 13–14

converting to a fraction, 52,  
 209–210

FRAC, 52, 209–210

exponents, 40, 67

fractions,

comparing, 12

converting to a decimal,  
 13–14

mixed, 57–58

grouping symbols, 42–43

multiplicative inverses

(reciprocals), 51

negative symbol, 61

numerical expressions, 3–4

reciprocals, 51

roots,

general, 472–475

square roots, 18–19

scientific notation, 193–195

squaring numbers, 18, 470–472

probability,

combinations, 642

factorials, 628–629

permutations, 631–634

statistics,

1-Var Stats, 684, 695

box-and-whisker plot, 700

five statistical summary, 700

frequency histogram, 676–678

line of best fit, 715–716

mean, 684

median, 684

scatter plot, 711–712

trigonometry,

cosine ratios, 319–320

degree mode, 309

sine ratios, 319–320

tangent ratios, 308–311

Cancellation, 542

Cancellation method, 545

Cards, standard deck of, 580

Causation, 711

Check, in solving equations, 119

Census, 662

Center of a sphere, 286

Central tendency (average), 690–695

and linear transformations, 686

mean, 681

for grouped data, 691–692

for intervals, 694–695

median, 681–682

for grouped data, 691

for intervals, 694

mode, 682–683

for grouped data, 690

for intervals (modal interval), 693

Certainty, 591

Closure, property of, 45–47

Coefficient, 95

Combination(s), 639–644, 646

comparing permutations and, 639–641

relationships involving, 641–644

Commas in verbal phrases, 90

Common denominator, 551

Common fraction, 13

Common monomial factor, 447

Commutative property

of addition, 47, 170

of multiplication, 47

Compass, 270

Complement of a set, 73

Complementary angles, 250–251

Completeness property of real

numbers, 25

Composite number, 39, 443

Compound event, 609

Compound interest, 389

Computations with more than one

operation, 41

Conditional equation, 117

Conditional probability, 619–623

Cone, volume of, 288

Congruent line segments, 265

Congruent angles, 252

Consecutive angles, 272

Consistent system of equations,

410–411

Constant of variation, 222

Constant ratio, 222

Construction, geometric, 270

angle bisector, 271

congruent angles, 270

congruent line segments, 270

perpendicular bisector, 271

Continued ratio, 209–210

Control group, 663

Convergence, 579

Coordinate axes, 75

Coordinate plane, 75

locating a point on, 76–77

Coordinates of a point, 76

finding on a plane, 77–78

Correlation, 711–715

Corresponding angles, 259

parallel lines and, 259–260

Cosine of an angle, 317

Cosine ratio, 318

applications of, 323–324

finding, on calculator, 319–320

Counting numbers, 2, 11

Counting principle, 610–611, 612

Cross-multiplication, 217

Cross-product, 217

Cube root, 472

Cumulative frequency, 702–703

Cumulative frequency histogram,

703–707

Cumulative relative frequency, 578–579

Cylinder(s)

right circular, 283

surface area of, 283

## D

Data, 661

collection of, 661–665

bias, 662

sampling, 662

techniques of, 662–663

grouped, 668–670, 690–695

organization of, 667–672

frequency distribution table, 668

grouped data, 668–670

cumulative frequency, 702–703

types of,

univariate, 710

bivariate, 710

qualitative, 661

quantitative, 661

visualization of data,

interpreting graphs of data, 664–665

types of,

box-and-whisker plot, 699–701

cumulative frequency

histogram, 703–707

scatter plot, 711–714

stem-and-leaf diagram, 670–672

histogram, 675–678

Decimal(s)

equivalent, 586–587

expressing as rational numbers, 15

expressing rational numbers as, 13–14

in ordering real numbers, 26

periodic, 14

repeating, 14, 17, 587

terminating, 14, 586

Decimal fraction, 13

Decimal notation, changing scientific

notation to, 193–195

Decrease, percent of, 230

Degree, 248

Denominator

common, 551

least common (LCD), 552

Dependent system of equations, 412–414

Dependent events, 617

Dependent variable, 341

Depression, angle of, 313

Descending order, polynomials in, 170

Descriptive statistics, 661

Diagram

stem-and-leaf, 670–672

tree, 609–611, 627

Diameter of a sphere, 286

Die, 580, 584

rolling of fair, 596

- Difference of two perfect squares,  
factoring, 452–453
- Digits,  
set of, 3  
significant, 29–32, 144–145, 195, 280,  
284, 289, 304
- Dimensional analysis, 234
- Direct measurement, 301
- Direct variation, 222–224  
constant of, 222  
equation of, 375  
graphing, 374–376
- Directly proportional, 222
- Disjoint sets, 72
- Distance formula, 136
- Distributive property, 48–49  
of multiplication over addition or  
subtraction, 168, 178, 183
- Division, 4, 38  
of fractions, 548–549  
of a monomial by a monomial,  
197–198  
of a polynomial  
by a binomial, 200–201  
by a monomial, 198–199  
of powers that have the same base,  
186–187  
of signed numbers, 68–70  
of square-root radicals, 494–495  
verbal phrases involving, 90
- Division property  
of equality, 118  
of a fraction, 541
- Domain, 89, 151  
of a function, 341  
of an inequality, 151  
of an open sentence, 104–105  
of a relation, 339
- Double-blind experiment, 664
- Double root, 506
- E**
- Elevation, angle of, 313
- Empirical probability, 576–581
- Empirical study, 577, 579
- Empty set, 3, 72
- Endpoint(s), 247–248  
of a ray, 247  
of a segment, 247
- Equality  
addition property of, 118  
division property of, 118  
multiplication property of, 118  
properties of, 117–119  
subtraction property of, 118
- Equally likely outcomes, 586
- Equation(s), 117  
conditional, 117  
equivalent, 117  
left side of, 117  
right side of, 117  
root of, 117  
simplifying each side of,  
122–126  
solving linear,  
with more than one operation,  
117–121  
with the variable in both sides,  
128–132  
solution set of, 117  
systems of,  
linear, 416–420, 422–424  
quadratic-linear, 529–531  
writing linear  
given slope and one point, 402  
given the intercepts, 407–409  
given two points, 404–405
- Equiangular triangle, 263
- Equilateral triangle, 265, 266
- Equivalent decimals, 586–587
- Equivalent equations, 117
- Equivalent fractions, 541
- Equivalent inequalities, 151
- Equivalent ratios, 208–209
- Error, 227  
in geometric calculations, 289–290  
percent of, 227–229  
relative, 228
- Estimation, radicals and, 477–478
- Evaluating an algebraic expression,  
100–102
- Event(s), 584  
compound, 609  
dependent, 617  
favorable, 584  
independent, 611–612, 618  
mutually exclusive, 600–603  
probability of an, 592  
singleton, 585, 590  
unfavorable, 584
- Everywhere dense, 12
- Experimental design, 663–664
- Experiment(s), 579, 663  
double-blind, 664  
in probability, 579–581  
single-blind, 663
- Exponent(s), 39, 40, 95–96  
negative integral, 189–190  
zero, 188–189
- Exponential decay, 389
- Exponential function, 387–391  
exponential decay, 389–391  
exponential growth, 388–391
- Exponential growth, 388
- Expression. *See* Algebraic expression(s);  
numerical expressions
- Exterior angle(s), 258  
alternate, 259
- Extraneous solutions, 565
- Extrapolation, 717
- Extremes, of a proportion, 216
- F**
- Face, of a solid, 282
- Factorial  $n$ , 628
- Factorial symbol (!), 628
- Factoring, 443–445  
a number, 443  
over the set of integers, 443–445  
a polynomial, 447,  
completely, 461–463  
the difference of two perfect  
squares, 452–453  
trinomials, 457–460  
solving quadratic equations by,  
503–507
- Factor(s), 39, 443  
common monomial, 447  
greatest common, 444–445  
greatest common monomial, 447  
of a term, 95
- Fair and unbiased objects, 579
- Favorable event, 584
- Finite set, 3, 339–340
- First-degree equations in one variable,  
122  
graphing, 346–350, 370–373  
parallel to axes, 352–353  
solving  
with more than one operation,  
117–121  
with the variable in both sides,  
128–132  
systems of,  
consistent, 410–411  
dependent, 412–414  
inconsistent, 411  
independent, 411  
solving,  
graphically, 410–414  
using substitution, 422–424  
using the addition method,  
416–420  
writing  
given slope and one point, 402  
given the intercepts, 407–409  
given two points, 404–405
- First-degree inequalities in two  
variables, graphing, 378–381
- First quartile, 698
- Five statistical summary, 699
- FOIL method, 183  
in multiplication of binomials, 454  
in multiplication of polynomials,  
183
- Formula(s), 107, 143  
distance, 136  
in problem solving, 134–137  
for surface area, 293  
transforming, 143–145  
for volume, 293  
writing, 107–108
- Fractional coefficients  
solving equations with, 556–559  
solving inequalities with, 562–563
- Fractional equation(s), 565  
solving, 565–567
- Fractional expression, 540
- Fraction line, as grouping symbol,  
41
- Fraction(s)  
addition of, 550–554  
algebraic, 540  
common, 13  
decimal, 13  
division of, 548–549  
division property of, 541  
equivalent, 13–14, 541, 216  
lowest terms, 541  
multiplication of, 545–547  
multiplication property of a, 542  
reducing to lowest terms, 541–543  
subtraction of, 550–554  
writing probability of events as,  
586
- Frequency distribution table, 668
- Frequency histogram, 676  
cumulative, 703–707

Function, 341. *See also* Absolute value function; Exponential function; Linear function; Quadratic function  
 domain of a, 341  
 range of a, 341

**G**

Geometric calculations, error in, 289–290  
 Geometry  
 angles in, 248–249, 258–261  
 areas of irregular polygons in, 279–280  
 half-lines in, 247  
 line segments in, 247  
 lines in, 246–247  
 parallel lines in, 258–261  
 perpendicularity in, 249  
 planes in, 246  
 points in, 246  
 quadrilaterals in, 272–276  
 rays, 247–248  
 surface areas of solids in, 282–284  
 triangles in, 262–267  
 undefined terms in, 246  
 volumes of solids in, 286–290  
 Graph(s)  
 interpreting, 664–665  
 of ordered pairs, 76, 610  
 of a point, 6  
 of a polygon, 78–79  
 and root finding, 522–524  
 of sets,  
 intersection, 153–154  
 union, 154–155  
 and solving systems of equations,  
 linear, 410–414  
 quadratic-linear, 525–527  
 types of,  
 absolute value, 382–386  
 direct variation, 374–376  
 exponential, 387–391  
 inequalities, 378–381  
 linear, 346–350, 352–353, 370–373  
 quadratic, 508–516  
 Graphic solution of a quadratic-linear system, 525–527  
 Graphing calculator. *See also* Calculator  
 Greatest common factor (GCF), 444–445  
 Greatest common monomial factor, 447  
 Greatest possible error (GPE), 29  
 Grouped data, 668–670  
 calculator solution for, 692–693  
 mean of a set of, 691–692  
 measures of central tendency and, 690–695  
 median of a set of, 691  
 mode of a set of, 690  
 Grouping symbols  
 expressions with, 41–43  
 multiplication and, 179–180  
 Group mode, 693  
 Group, 669

**H**

Half-line, 247  
 Half-plane, 378

Histogram, 675–678  
 cumulative frequency, 703–707  
 frequency, 676  
 Horizontal number line, 6  
 Hypotenuse, 263, 301, 307

**I**

Identity, 117  
 additive, 49–50  
 multiplicative, 50, 179  
 Identity element  
 of addition, 49–50  
 of multiplication, 50  
 Impossibility, 591  
 Inconsistent system of equations, 411  
 Increase, percent of, 230  
 Independent events, 611–612, 618  
 Independent system of equations, 411  
 Independent variable, 341  
 Index, of a radical, 473  
 Indirect measurement, 301  
 Inequalities  
 domain (replacement set) of, 151  
 equivalent, 151  
 finding and graphing the solution of,  
 151–155  
 with fractional coefficients,  
 562–563  
 graphing first-degree,  
 in one variable, 151–155  
 in two variables, 378–381  
 systems of, 431–434  
 in problem solving, 157–159  
 properties of, 146–149  
 addition, 147–148  
 multiplication, 148–149  
 order, 146–147  
 transitive property, 147  
 solution set of, 151  
 symbols of, 7–8  
 verbal phrases involving, 157–159  
 Infinite set, 3, 340–344  
 Integer(s), 2–8  
 ordering, 6  
 set of, 4–5  
 subsets of, 5  
 Intercept form of a linear equation, 367  
 Intercept(s)  
 of a line, 366–367  
 writing equation given, 407–409  
 Interest, compound, 389  
 Interior angle(s), 258  
 alternate, 258  
 on the same side of the transversal,  
 258  
 Interpolation, 717  
 Intersection of sets, 71–72, 597  
 graphing, 153–154  
 Interval, 669  
 containing the mean, 694–695  
 containing the median, 694  
 containing the mode (modal interval), 693  
 Interval notation, 151–152  
 Inverse operation, using, in dividing signed numbers, 68–69  
 Inverse  
 additive, 50  
 multiplicative, 51–52, 548

Irrational numbers, 17–23  
 basic rules for radicals that are,  
 478–481  
 radicals and, 476–481  
 set of, 17–18  
 Irregular polygons, area of, 279–280  
 Isosceles trapezoid, 276  
 Isosceles triangle, 265–266  
 base angles of, 265  
 base of, 265  
 legs of, 265  
 vertex angle of, 265

**L**

Latitude, 75  
 Leaf, in a stem-and-leaf diagram, 670  
 Least common denominator (LCD), 552  
 Left member of an equation, 117  
 Left side of an equation, 117  
 Legs  
 of isosceles triangles, 265  
 of right triangles, 263, 307  
 Letters, using, to represent numbers,  
 89–90  
 Length of a line segment, 247  
 Like radicals, 487  
 addition of, 487  
 subtraction of, 487  
 Like terms (similar terms), 123, 168  
 Line, in geometry, 246–247. *See also*  
 Linear function  
 Line of best fit, 715–720  
 Line segment, 247  
 Linear equation, 347. *See also* First-degree equation  
 Linear function,  
 graphing,  
 using slope, 370–373  
 using solutions, 346–350  
 intercepts of, 366–367  
 x-intercept, 366–369  
 y-intercept, 366–369  
 slope of, 355–360  
 finding, 355–357  
 parallel, 258–261, 352–353, 363  
 perpendicular, 249, 364–365  
 transformations of,  
 reflection, 372  
 scaling, 372  
 translation, 372  
 Linear growth, 387  
 Linear pair of angles, 252  
 Linear regression. *See* Bivariate statistics  
 Linear system of equations, 410  
 solving,  
 addition method, 416–420  
 graphically, 410–415  
 substitution method, 422–424  
 types of,  
 consistent, 411  
 dependent, 412  
 inconsistent, 411  
 independent, 411  
 using to solve verbal problems, 426–428  
 Linear transformation of a set of data,  
 686  
 Line segment(s), 247  
 congruent, 265  
 length of, 247

List of ordered pairs, 609  
 Longitude, 75  
 Lower quartile, 698  
 Lowest terms, 212  
   reducing fractions to, 541–543  
 Lowest terms fraction, 541

**M**

Mathematics, defined, 2  
 Maximum, 511  
 Mean, 681  
   arithmetic, 681  
   interval containing, 694–695  
   of a set of grouped data, 691–692  
 Measure of a line segment, 247  
 Measurement(s)  
   accuracy of, 31  
   changing units of, 234–236  
   direct, 301  
   indirect, 301  
   numbers as, 28–32  
   precision of, 30–31  
 Measures of central tendency. *See*  
   Central tendency  
 Median, 681–682  
   interval containing, 694  
   of set of grouped data, 691  
 Member of a set ( $\in$ ), symbol for, 338  
 Minimum, 509  
 Minus symbol, 61–62  
 Modal interval, 693  
 Mode, 682–685  
   of set of grouped data, 690  
 Monomial, 169  
   division of a, by a monomial, 197–198  
   division of a polynomial by a,  
     198–199  
   finding the principal square root of a,  
     482–483  
   multiplication of a monomial by a,  
     177–178  
   multiplication of a polynomial by a,  
     178–179  
   square of a, 449  
 Monomial square roots, division of,  
   494–495  
 Multiplication, 3–4, 38  
   associative property of, 48  
   of binomials, 454–455  
   commutative property of, 47  
   distributive property of, over  
     addition, 49, 168, 178, 183  
   of fractions, 545–547  
   grouping symbols and, 179–180  
   of monomial by a monomial,  
     177–178  
   of polynomials, 183–184  
     by a monomial, 178–179  
   of powers that have the same base,  
     173–174  
   of signed numbers, 64–67  
   of square-root radicals, 491–492  
   of sum and difference of two terms,  
     450–451  
   verbal phrases involving, 89–90  
 Multiplication property  
   of equality, 118  
   of a fraction, 542  
   of inequality, 148–149

  of one, 50  
   of zero, 52  
 Multiplicative identity, 50, 179  
 Multiplicative inverse (reciprocal),  
   51–52, 548  
 Mutually exclusive events, 600–603

**N**

$n$  factorial, 628  
 Natural numbers, 2  
 Negative integral exponent, 189–190  
 Negative numbers, 4  
   absolute value of, 7  
 Negative slope, 358  
 Nonlinear function, 388  
 No slope, 358  
 Not a member of a set ( $\notin$ ), symbol for,  
   338  
 Notation  
   decimal, 193–195  
   interval, 151–152  
   scientific, 191–195  
   set-builder, 338–344  
 Null set, 3  
 Numerical coefficient, 95  
 Number line, 2, 6  
   ordering real numbers on, 25  
   rational, 11–12  
   real, 25  
   standard, 6  
 Number pairs, graphing, 75–79  
 Number(s), 2  
   approximations of, 469  
   composite, 39, 443  
   counting, 2, 4, 5, 11  
   factoring, 443  
   irrational, 17–20, 469, 470  
   as measurements, 28–32  
   natural, 2  
   negative, 4  
   positive, 4  
   prime, 39, 443  
   rational, 11–15, 470–475  
   real, 2, 25–26  
   representing two, with the same  
     variable, 125–126  
   symbols for, 2  
   using letters to represent, 89–90  
   whole, 3  
   writing, in scientific notation,  
     192–193  
 Number systems, 1–36  
   integers in, 2–8  
   irrational numbers in, 17–20  
   measurements and, 28–32  
   rational numbers in, 11–15  
   real numbers in, 2, 25–26  
 Numeral, 2  
 Numerical average, 681  
 Numerical expression(s), 3–4  
   with grouping symbols, 41–43  
   simplifying, 3, 42–43

**O**

Obtuse angle, 249  
 Obtuse triangle, 263  
 One, multiplication property of, 50  
 Open sentence, 104–105

Operation(s)  
   binary, 38  
   computations with more than one, 41  
   order of, 38–43  
   properties of, 45–52  
   with sets, 71–73  
   solving equations using more than  
     one, 117–121  
 Operational symbols, 3  
 Opposite angles, 272  
 Opposite rays, 248  
 Opposite (additive inverse), 4–5, 50  
 Opposite side of an angle, 307  
 Ordered pair(s), 38, 75  
   graph of, 610  
   list of, 609  
 Order of operations, 38–43  
 Order property of real numbers,  
   146–147  
 Ordinate, 75  
 Origin, 75  
 Outcome(s), 584  
   equally likely, 586

**P**

Palindrome, 37  
 Parabola, 509  
   axis of symmetry of the, 510  
 Parallel lines, 258–261  
   alternate exterior angles and, 260  
   alternate interior angles and, 259  
   corresponding angles and, 259–260  
   slope of, 363  
   to the  $x$ -axis, 352  
   to the  $y$ -axis, 353  
 Parallelograms, 272  
   family of, 273–274  
   informal proofs for statements about  
     angles in, 274–275  
 Parentheses as grouping symbol, 41  
 Percent, 227  
   of decrease, 230  
   of error, 227–229  
   of increase, 230  
 Percentage, 227  
 Percentiles, 701–702  
 Perfect squares, 449, 471  
   factoring the difference of two,  
     452–453  
   square root of, 471  
 Perfect square trinomial, 455  
 Perimeter, 134  
 Periodic decimals, 14  
 Permutations, 627–634, 646  
   calculator and, 631–634  
   comparing with combinations,  
     639–641  
   with repetition, 636–637  
   representing, 629–630  
   symbols for, 631  
   that use some of the elements,  
     630–631  
 Perpendicular bisector, 271  
 Perpendicularity, 249  
 Perpendicular lines, 249  
   slope of, 364–365  
 Pi ( $\pi$ ), 20  
 Placebo, 663  
 Placebo effect, 663

- Placeholder, 89  
 Plane, 246  
   points on, 75–76  
   finding the coordinates of, 77–78  
 Plane divider, 378  
 Plot  
   box-and-whisker, 699–701  
   scatter, 710, 711  
 Point(s), 246  
   coordinates of, 75  
   finding the coordinates of, on a plane, 77–78  
   locating, on the coordinate plane, 76–77  
   on a plane, 75–76  
   writing equation given slope and one, 402  
   writing equations given two, 404–405  
 Polygon(s), 78, 262  
   angles and, 275  
   area of irregular, 279–280  
   graphing, 78–79  
   sides of, 262  
   vertices of, 262  
 Polynomial equation of degree two, 503  
 Polynomial function, second-degree, 509  
 Polynomial(s), 169–170  
   in ascending order, 170  
   in descending order, 170  
   division of  
     by a binomial, 200  
     by a monomial, 198–199  
   factoring, 447  
   factoring completely, 461–463  
   multiplication of, 183–184  
     by a monomial, 178–179  
   prime, 447  
 Positive numbers, 4  
   absolute value of, 7  
 Positive slope, 357  
 Postulate, 246  
 Power(s), 39, 40, 95–96  
   division of, 186–187  
   finding a power of  $a$ , 174–176  
   finding the product of, 173–174  
 Powers of 10, 192  
 Precision, 30–31  
 Price, unit, 212  
 Prime number, 39, 443  
 Prime polynomial, 447  
   over the set of integers, 461  
 Principal square root, 471–472  
   finding, of a monomial, 482–483  
 Prism, 282–283  
   right, 282–283  
 Probabilities, 575–659  
   of ( $A$  and  $B$ ), 596–597  
   of ( $A$  or  $B$ ), 599–603  
   of (not  $A$ ), 605–606  
   of any event, 592  
   calculated, 585  
   combinations and, 639–644  
   conditional, 619–623  
   defined, 576  
   empirical, 576–581  
   evaluating simple, 590–594  
   experiments in, 579–581  
   permutations and, 627–634  
     as sums, 605–606  
     theoretical, 584–587  
     with two or more activities  
       with replacement, 617–618  
       without replacement, 617  
   uniform, 586  
   writing as fractions, 586  
 Problem solving  
   formulas in, 134–137  
   inequalities in, 157–159  
   tangent ratio in, 313–315  
   trigonometric ratios in, 327–328  
 Product, 443  
 Properties of equality, 117–119  
   addition property of equality, 118  
   division property of equality, 118  
   multiplication property of equality, 118  
   substitution principle, 118  
   subtraction property of equality, 118  
 Properties of inequalities, 146–149  
   addition property of inequality, 147–148  
   multiplication property of inequality, 148–149  
   order property of real numbers, 146–147  
   transitive property of inequality, 147  
 Properties of operations, 45–52  
   addition property of zero, 49–50  
   additive inverse, 50  
   associative  
     of addition, 47–48  
     of multiplication, 48  
   closure, 45–47  
   commutative  
     of addition, 47  
     of multiplication, 47  
   distributive, 48–49  
   multiplication property of one, 50  
   multiplication property of zero, 52  
   multiplicative inverses, 51–52  
 Proportion, 216–220  
   cross products in, 217  
   extremes of, 216  
   general form of, 216  
   inner terms of, 216  
   outer terms of, 216  
   products of the means and extremes in, 217  
 Pyramid(s), 288  
   volume of, 288  
 Pythagoras, 301  
 Pythagorean Theorem, 227, 301–304  
   statements of, 302–304  
 Pythagorean triple, 305
- Q**
- Quadrant, 76  
 Quadratic equation(s), 503  
   finding roots from a graph, 522–524  
   roots of, 504, 522  
   solving, by factoring, 503–507  
   standard form of, 503  
 Quadratic function, 509–518  
   axis of symmetry, 510–511  
   leading coefficient, 509–511  
   transformations of,  
     reflection, 517–518  
     scaling, 517–518  
     translation, 517–518  
   turning point, 509  
   vertex, 509  
 Quadratic-linear system of equations, 525  
   solving,  
     algebraically, 529–531  
     graphically, 525–527  
 Quadrilateral(s), 78, 272–276  
   angles of, 273  
   consecutive angles in, 272  
   opposite angles in, 272  
   special, 272–273  
 Qualitative data, 661  
 Quantitative data, 661  
 Quartile, 698–699  
   first, 698  
   lower, 698  
   second, 698  
   third, 698  
   upper, 698
- R**
- Radical(s), 470, 470–475  
   addition of like, 487  
   addition of unlike, 488–489  
   basic rules for irrational numbers as, 478–481  
   estimation and, 477–478  
   index of, 473  
   irrational numbers and, 476–481  
   simplifying square-root, 484–485  
   subtraction of like, 487  
   subtraction of unlike, 488–489  
   that are square roots, 471–472  
 Radical sign, 18, 470  
 Radicand, 470  
 Radius of a sphere, 286  
 Random selection, 586–588  
 Range,  
   of data, 669  
   of a function, 341  
   of a relation, 339  
 Rate, 212, 227  
   unit, 212  
   using ratio to express, 212  
 Rational approximation, 20, 477–478  
 Rational expression, 540  
 Rational number line, 11–12  
 Rational numbers, 11–15, 470–475  
   expressing, as decimals, 13–14  
   expressing decimals as, 15  
   properties of, 12–13  
   set of, 11–15  
 Ratio(s), 208  
   constant, 222  
   continued, 209–210  
   equivalent, 208–209  
   expression of, in simplest form, 208–209  
   using, to express a rate, 212  
   verbal problems involving, 214–215  
 Ray(s), 247–248  
   opposite, 248

- Real number line, 25  
 Real numbers, 2, 25–26  
   completeness property of, 25  
   ordering, 25–26  
   order property of, 146–147  
   set of, 25  
   using properties of, to multiply  
     signed numbers, 65–67  
 Reciprocal(s), 51–52  
   in dividing signed numbers, 69–70  
 Rectangle, 272, 273  
 Rectangular solid, 283  
 Reduced to lowest terms, 541–543  
 Reflection rule  
   for absolute value functions, 386  
   for linear functions, 372  
   for quadratic functions, 517  
 Regression line, 715–716. *See also*  
   Linear regression  
 Relation, 339  
   domain of, 339  
   range of, 339  
 Relative error, 228  
 Relative frequency, 577  
   cumulative, 578–579  
 Repeating decimals, 14, 17, 587  
 Repetition, permutations with, 636–  
   637  
 Replacement  
   probability with, 617–618  
   probability without, 617  
 Replacement set, 89  
   of inequalities, 151  
 Rhombus, 273  
 Right angle, 248  
 Right circular cylinder, 283  
 Right member of an equation, 117  
 Right prism, 282–283  
 Right side of an equation, 117  
 Right triangle, 263, 301  
   hypotenuse of, 263, 301, 307  
   legs of, 263, 307  
 Root(s), 117  
   calculators and, 473–475  
   cube, 472  
   double, 505  
   of an equation, 504  
   finding, from a graph, 522–524  
   square, 470  
 Roster form, 338  
 Rounding, 21  
 Round-off error, 31
- S**
- Sample, 662  
 Sample space(s), 584  
   subscripts in, 592–594  
 Sampling, 662  
   techniques of, 662–663  
 Scalene triangle, 265  
 Scaling rules,  
   for absolute value functions, 386  
   for linear functions, 372  
   for quadratic functions, 517  
 Scatter plot, 710–711  
 Scientific notation, 191–195  
   changing to ordinary decimal  
     notation, 193–195  
     writing numbers in, 192–193  
 Second-degree polynomial function, 509  
 Second quartile, 698  
 Segment of a line, 247  
 Set(s), 3, 71  
   disjoint, 72  
   empty, 3, 72  
   finite, 3, 339–340  
   infinite, 3, 340–344  
   of integers, 4–5  
   of irrational numbers, 17–18  
   null, 3  
   operations with, 71–73  
     intersection of, 71–72, 597  
       graphing, 153–154  
       complement of, 73  
       union of, 72–73  
   of rational numbers, 11–15  
   of real numbers, 25  
   types of, 3  
     graphing, 154–155  
     universal, 71  
   of whole numbers, 3  
 Set-builder notation, 338–339  
 Sides,  
   of an angle, 248  
   classifying triangles according to,  
     265–266  
   of polygons, 262  
 Signed numbers,  
   addition of,  
     with opposite signs, 56–58  
     with same signs, 54–55  
   division of, 68–70  
   multiplication of, 64–67  
   subtraction of, 59–62  
 Significant digits, 29–32, 144–145, 195,  
   280, 284, 289, 304  
   rules for determining, 29–30  
 Similar terms, 123, 168  
 Similar triangles, 307  
 Simplest form,  
   of a polynomial, 170  
   expression of ratio in, 208–209  
   of square-root radical, 485  
 Simplify a numerical expression, 3  
 Sine of an angle, 317  
 Sine ratio, 317–318  
   applications of, 323–324  
   finding, on a calculator, 319–320  
 Single-blind experiment, 663  
 Singleton event, 585, 590  
 Slope, 355–360  
   applications of, 360  
   graphing linear functions using,  
     370–373  
   of parallel lines, 363  
   of perpendicular lines, 364–365  
   slope-intercept form, 367–368  
   types of,  
     negative, 358  
     positive, 357  
     undefined, 358  
     zero, 358  
   as unit rate of change, 356  
   writing equations given one point  
     and, 402  
 Slope-intercept form of a linear  
   equation, 368  
   in finding equations, 402  
 Solids  
   surface area of, 282–284  
   volumes of, 286–290  
 Solutions  
   extraneous, 565  
   graphing linear functions using their,  
     346–350  
 Solution set(s), 104  
   graphing, for system of inequalities,  
     431–434  
   of inequalities, 151–153  
   of open sentences, 104–105, 117  
 Sphere, 286  
   center of, 286  
   diameter of, 286  
   radius of, 286  
   volume of, 286  
 Square(s), 18, 273, 470  
   of monomials, 449  
   perfect, 449, 471  
 Square root(s), 18, 470  
   calculators and, 472  
   finding the principal, of a monomial,  
     482–483  
   of a perfect square, 471  
   principal, 471–472  
   radicals that are, 471–472  
 Square-root radicals  
   division of, 494–495  
   multiplication of, 491–492  
   simplest form of, 485  
   simplifying, 484–485  
 Standard deck of cards, 580  
 Standard form, 503  
   first-degree equation in, 347  
 Standard number line, 6  
 Statistical summary (five statistical  
   summary), 699  
 Statistics, 660–730  
   bivariate data, 710–720  
   correlation, 711–715  
   causation, 711–715  
   line of best fit, 715–720  
   extrapolation, 717  
   interpolation, 717  
   regression line, 715–720  
   central tendency (average), 690–695  
   and linear transformations, 686  
   mean, 681  
     for grouped data, 691–692  
     for intervals, 694–695  
   median, 681–682  
     for grouped data, 691  
     for intervals, 694  
   mode, 682–683  
     for grouped data, 690  
     for intervals (modal interval), 693  
   data collection, 661–665  
   bias, 662  
   sampling, 662  
     techniques of, 662–663  
   defined, 661  
   experimental design, 663–664  
   organization of data, 667–672  
     frequency distribution table, 668  
     grouped data, 668–670  
     cumulative frequency, 702–703  
   percentiles, 701–702

Statistics *cont.*

- quartiles, 698–699
  - five statistical summary, 699
- sampling in, 662–663
- visualization of data, types of,
  - box-and-whisker plot, 699–701
  - cumulative frequency histogram, 703–707
  - histogram, 675–678
  - scatter plot, 711–714
  - stem-and-leaf diagram, 670–672
- interpreting graphs of data, 664–665
- univariate data, 710
- Stem-and-leaf diagram, 670–672
- Straight angle, 249
- Straight line(s), 246–247
  - facts about, 246–247
- Straightedge, 270
- Subscripts, 592
  - in sample spaces, 592–594
- Subsets of the integers, 5
- Substitution method for solving a system of linear equations, 422–424
- Substitution principle, 118, 423
- Subtraction, 3, 38
  - of algebraic expressions, 168–171
  - of algebraic fractions, 550–554
  - distributive property of multiplication over, 168, 178, 183
  - of like radicals, 487
  - of signed numbers, 59–62
  - of unlike radicals, 488–489
  - verbal phrases involving, 89
- Subtraction property of equality, 118
- Successor, 2
- Sums, probabilities as, 605–606
- Supplementary angles, 251
- Surface area
  - of cylinders, 283
  - formulas for, 293
  - of rectangular solids, 283
  - of solids, 282–284
- Symbol(s)
  - approximately equal to ( $\approx$ ), 20
  - factorial (!), 628
  - grouping, 41–43
  - of inequality, 7–8
  - infinity ( $\infty$ ), 151–152
  - is an element of ( $\in$ ), 338
  - is not an element of ( $\notin$ ), 338
  - minus ( $-$ ), 61–62
  - for numbers, 2
  - operational, 3
  - for permutations, 631
  - translating verbal phrases into, 91–93
  - vertical bar ( $|$ ), 338
- System of equations. *See* Linear system of equations; Quadratic-linear system of equations
- System of inequalities, graphing the solution set of, 431–434
- System of simultaneous equations, 410

## T

- Table(s)
  - frequency distribution, 668
  - preparing, 668
- Tally mark, 668
- Tangent of an angle, 308
- Tangent ratio(s), 307–311
  - applications of, 313–317
    - angle of depression, 313
    - angle of elevation, 313
    - in problem solving, 313–315
  - finding, on a calculator, 308–311
- Terminating decimals, 14, 586
- Term(s), 95, 122, 168
  - factors of, 95
  - like, 123, 168
  - lowest, 212
  - multiplication of the sum and difference of two, 450–451
  - reducing fractions to lowest, 541–543
  - similar, 123, 168
  - undefined, 246
  - unlike, 123, 168
- Theorem, 253
- Theoretical probability, 584–587
- Third quartile, 698
- Time series, 715
- Total frequency, 668
- Transitive property of inequality, 147
- Translation rules
  - for absolute value functions, 385–386
  - for linear functions, 372
  - for quadratic functions, 517
- Transversal, 258
- Trapezoid, 272, 275–276
  - isosceles, 276
- Treatment group, 663
- Tree diagram, 609–611, 627
- Trial, 579
- Triangle(s), 262–267
  - classifying
    - according to angles, 263
    - according to sides, 265–266
  - properties of special, 266–267
  - similar, 307
  - sides of, 262
  - sum of the measures of the angles of a, 263–265
  - types of,
    - acute, 263
    - equiangular, 263
    - equilateral, 265–266
    - isosceles, 265–266
    - obtuse, 263
    - right, 263, 301
    - scalene, 265
  - vertices of, 262
- Trigonometry, 300
  - cosine ratio in, 318–320, 323–324
  - problem solving using ratios, 327–328
  - Pythagorean Theorem in, 301–304
  - sine ratio in, 317–320, 323–324
  - tangent ratio in, 307–317
- Trinomial(s), 170
  - factoring, 457–460
- Turning point, 509
- Two-valued statistics, 710. *See also* Bivariate statistics

## U

- Undefined term, 246
- Unfavorable event, 584
- Uniform probability, 586
- Union of sets, 72–73
  - graphing, 154–155
- Unit measure, 6
- Unit price, 212
- Unit rate, 212
  - of change, 356
- Units of measure, changing, 234–236
- Univariate statistics, 710
- Universal set, 71
- Unlike radicals
  - addition of, 488–489
  - subtraction of, 488–489
- Unlike terms, 123, 168
- Upper quartile, 698

## V

- Variable(s), 89
  - dependent, 341
  - first-degree equations in one, 122
  - graphing first-degree inequalities in two, 378–381
  - independent, 341
  - representing two numbers with the same, 125–126
  - solving, for in terms of another variable, 142–143
  - solving equations that have, in both sides, 128–132
  - writing algebraic expressions involving, 92
- Verbal phrases
  - commas in, 90
  - involving addition, 89
  - involving division, 90
  - involving multiplication, 89–90
  - involving subtraction, 89
  - translating, into symbols, 91–93
- Verbal problems
  - involving ratio, 214–215
  - using systems of equations in solving, 426–428
- Vertex angle of an isosceles triangle, 265
- Vertex of a parabola, 509
- Vertex of an angle, 248
- Vertical angles, 252–254
- Vertical bar ( $|$ ), 338
- Vertical number line, 6
- Vertices, 78
  - of a polygon, 262
- Volume
  - of cones, 288
  - formulas for, 293
  - of pyramids, 286
  - of solids, 286–290
  - of spheres, 286
- W
- Whole numbers, 3
  - set of, 3
- With replacement, probability problems, 617–618



Without replacement, probability problems, 617

Words, writing algebraic expressions in, 98–99

**X**

$x$ -axis, 75

lines parallel to, 352

$x$ -coordinate, 76

$x$ -intercept, 366

writing equation given, 407–409

**Y**

$y$ -axis, 75

lines parallel to, 353

$y$ -coordinate, 76

$y$ -intercept, 366

slope and, 367–368

writing equation given, 407–409

**Z**

Zero, 3

addition property of, 49–50

division of, by nonzero number, 69

multiplication property of, 52

Zero exponent, 188–189

Zero slope, 358

